



Local Notice to Mariners 24 / 2026

Under Keel Clearance (UKC) Requirements & Berth Depths

Port of Aberdeen operates the following Under Keel Clearance (UKC) requirements:

- For vessels underway in the navigational channels:
 - minimum UKC of 1.0 metre;
- For vessels manoeuvring within the North or South Harbour:
 - minimum UKC of 0.5 metres;
- For vessels exceeding 22m beam, passing other vessels on the River Dee:
 - minimum UKC of 2.0 metres when underway;

Navigating Officers are required to ensure compliance with these minimum UKC requirements at all times whilst operating within the district.

Please find below Port Depth Sheet for reference:

Notice to Mariners 05 / 2026 is now cancelled.

Document	Title	Revision	Effective Date
PoA-MSMS-04-MAR-FOR-003	Notice to Mariners	02	January 2026

Marine Safety Management System

North Harbour				
Location	Berth Length (m)	Chart Datum	Controlling Depth	Survey Date
Navigation Channel Outer		8.0m	7.6	Apr-26
Navigation Channel Mid		7.0m	6.8	Apr-26
Navigation Channel Inner		6.0m	6.0	Apr-26
Turning Basin		6.0m	6.0	Apr-26
Tidal Harbour		6.0m	5.7	Apr-26
Pocra North	83	6.0m	5.8	May-26
Pocra South	83	6.0m	5.7	May-26
Pocra Base	110	6.0m	5.9	May-26
Approach to dry-dock		4.0m	3.7	May-26
Russells Quay	96	9.0m	8.4	Mar-26
Halls Quay	71	9.0m	8.5	Mar-26
Clipper Quay	175	9.0m	8.8	Apr-26
Duthies Quay	117	9.0m	8.7	Apr-26
Approach to Victoria Dock		6.0m	5.9	Mar-26
Waterloo Cross Berth	75	6.0m	5.9	Feb-26
Waterloo Quay No. 4	116	6.0m	5.9	Feb-26
Waterloo Quay No. 3	116	6.0m	5.9	Feb-26
Waterloo Quay No. 2	76	9.3m	8.9	Mar-26
Waterloo Quay No. 1	76	9.3m	8.9	Mar-26
Regent Quay No. 4	94	9.3m	9.1	Mar-26
Regent Quay No. 3	94	9.3m	8.9	Mar-26
Regent Quay No. 2	94	6.0m	5.9	Feb-26
Regent Quay No. 1	94	6.0m	5.8	Feb-26
Trinity Quay	92	6.0m	5.7	Feb-26
Upper Dock	123	6m	5.8	Feb-26
Jamiesons Quay	92	6.0m	5.8	Aug-25
NorthLink Ro-Ro	79	6.5m	6.1	Feb-26
Blaikies Quay No. 1	100	6.0m	5.8	Feb-26
Blaikies Quay No. 2	100	6.0m	5.7	Feb-26
Blaikies Quay No. 3	120	6.0m	5.7	Feb-26
Blaikies Quay No. 4	90	6.0m	5.9	Feb-26
Matthews Ro-Ro	165	9.0m	8.0	Apr-26
Matthews Cross Berth	76	9.0m	8.2	Apr-26
Atlantic Quay	131	8.7m	8.4	Mar-26
Pacific Quay	160	9.3m	8.8	Mar-26

Document	Title	Revision	Effective Date
PoA-MSMS-04-MAR-FOR-003	Notice to Mariners	02	January 2026

Marine Safety Management System

Commercial Quay East	85	7.5m	7.3	Apr-26
Eurolink	145	7.5m	7.4	Apr-26
Commercial Quay West	105	6.0m	5.3	Apr-26
Palmerston Quay	108	6.0m	5.8	Apr-26
Albert Quay (tug berth)	35	6.0m	6.1	Apr-26
Albert Quay West	30	6.0m	5.7	Apr-26
Albert Quay No. 5	106	7.5m	7.4	May-26
Albert Quay No. 4	106	7.5m	7.3	Apr-26
Albert Quay No. 3	96	7.5m	7.4	Apr-26
Albert Quay No. 2	96	7.5m	7.4	Apr-26
Albert Quay No. 1	96	7.5m	7.4	Apr-26
Albert Quay East	113	6.0m	5.9	Apr-26
Albert Quay Bunker Berth	106	6.0m	5.7	Apr-26
Installation	141	6.0m	5.9	Apr-26
Point Law Cross Berth	72	6.0m	5.8	Apr-26
Mearns Quay No. 1	101	6.0m	5.8	May-26
Mearns Quay No. 2	101	6.0m	5.9	May-26
Mearns Quay No. 3	101	6.0m	6.0	May-26
Torry Quay No. 6	99	7.5m	7.2	Apr-26
Torry Quay No. 5	99	7.5m	7.3	Apr-26
Torry Quay No. 4	99	7.5m	7.3	May-26
Torry Quay No. 3	99	7.5m	6.7	Apr-26
Torry Quay No. 2	140	6.0m	5.9	May-26
Torry Quay No. 1	110	5.6m	4.4	May-26
South Harbour				
Balmoral Quay	300	9.0	8.3	May-26
Castlegate Quay East	270	9.0	8.4	May-26
Castlegate Quay West	270	9.0	8.4	May-26
Dunnottar Quay	400	10.5	9.8	May-26
Crathes Quay North	175	9.0	9.1	May-26
Entrance Channel		10.5	10.2	May-26
Entrance Basin		9.0	8.3	May-26
Inner Basin		9.0	8.0	May-26

Port of Aberdeen
Marine Department
12th May 2026

Vessel Owners, Operators, Agents, Berth Operators etc should ensure that the contents of this Navigation Notice are made known to the Masters of their vessels.

Document	Title	Revision	Effective Date
PoA-MSMS-04-MAR-FOR-003	Notice to Mariners	02	January 2026